

History & Edit Session Keyboard Shortcuts

History & Edit Session

Alt+Backspace	Single level Undo; toggles the last editing action; same as Ctrl+Z.
Alt+F4	Ends the session.
Alt+Shift+End	Erases all characters from the caret position to the end of the session.
Alt+F9	Find previous executed line.
Alt+Shift+F9	Find next executed line.
Ctrl+A	Select all.
Ctrl+C	Copies the selection to the Clipboard; same as Ctrl+Insert. If you do not highlight a selection, the system copies the current line. If the cursor is on an empty line, a carriage return is copied to the clipboard.
Ctrl+Down Arrow	Scrolls the window display down one line without moving the caret position on the screen.
Ctrl+Up Arrow	Scrolls the window display up one line without moving the caret.
Ctrl+Shift+Down Arrow	Moves the current line (where the cursor is) to the bottom of the page.
Ctrl+Shift+Up Arrow	Moves the current line (where the cursor is) to the top of the page.
Shift+Delete	Clear History.
Ctrl+Shift+Delete	Restore History.
Ctrl+Shift+R	Clear current workspace.
Ctrl+B	Opens Virtual APL Keyboard.
Ctrl+E	Saves the object and ends the edit session.
Ctrl+Enter	Adds a new line.
Ctrl+F	Opens the Find dialog.
Ctrl+F2	Set a bookmark on the line with the cursor.
F3	Find Next.
Shift+F3	Find Previous.
Ctrl+F9	Recalls previously executed lines in the order that you entered them. You can recall up to 1000 previous lines.
Ctrl+G	Displays the Fetch Objects dialog box.

Ctrl+H	Opens the Replace dialog.
Ctrl+I	Insert an APL Idiom at the current position.
Ctrl+Shift+I	Opens the Idioms Manager dialog.
Ctrl+Insert	Copies highlighted text; same as Ctrl+C.
Ctrl+J	Displays the Jump to Line dialog box. The system moves the caret to the line number you specify in this dialog box.
Ctrl+L	In a function edit window, toggles between making the name at the caret local or global. If the name is a label, the system removes it from the line.
Ctrl+Alt+C	Commit editing changes for currently edited function.
Ctrl+Alt+E	Commit (editing changes) & close editor for currently edited function.
Ctrl+Alt+I	Insert CPC IntelliSense Scaffold.
Ctrl+Alt+L	Sort local variables in function editor with the focus.
Ctrl+Alt+S	Commit editing changes for all functions in the workspace & save workspace.
Ctrl+Alt+X	Insert starting inline comment glyph.
Ctrl+Alt+Z	Insert ending inline comment glyph.
Ctrl+Alt+Shift+X	Remove starting inline comment glyph.
Ctrl+Alt+Shift+Z	Remove ending inline comment glyph.
Ctrl+M, Ctrl+J	Finds the matching parentheses, quote marks, or brackets.
Ctrl+M, Ctrl+T	Jump to the top keyword in current control structure block (function editor only).
Ctrl+M, Ctrl+B	Jump to the bottom keyword in current control structure block (function editor only).
Ctrl+M, Ctrl+N	Jump to the next keyword in current control structure block (function editor only).
Ctrl+M, Ctrl+P	Jump to the previous keyword in current control structure block (function editor only).
Ctrl+M, Ctrl+D	Move caret down to start of next control structure block (function editor only).
Ctrl+M, Ctrl+U	Move caret up to start of previous control structure block (function editor only).

Ctrl+M, Ctrl+L	Toggle all regions (function editor only).
Ctrl+M, Ctrl+M	Toggle current region (function editor only).
Ctrl+M, Ctrl+A	Collapses all regions (function editor only).
Ctrl+M, Ctrl+C	Collapses the current region (function editor only).
Ctrl+M, Ctrl+X	Expands all regions (function editor only).
Ctrl+M, Ctrl+E	Expands the current region (function editor only).
Ctrl+P	Print.
Ctrl+Page Down	Scrolls one column left.
Ctrl+Page Up	Scrolls one column right.
Ctrl+Q	Closes the current editing session.
Ctrl+S	Saves an object in the current editing session.
Ctrl+T	Toggle between an edit session and the Command line/History pane, or vice-versa.
Ctrl+V	Pastes the contents of the Clipboard into the active window at the caret position.
Ctrl+X	Cuts the selection and copies it to the Clipboard.
Ctrl+Z	Undo the last action.
Ctrl+.(period)	Set a stop on the current line or selected lines (function editor).
Ctrl+,(comma)	Set a trace on the current line or selected lines (function editor).
Ctrl+Shift+.(period)	Remove a stop from the current line or selected lines (function editor).
Ctrl+Shift+,(comma)	Remove all traces (function editor).
Ctrl+Shift+A	Saves the current workspace under a new name.
Ctrl+Shift+C	Copies the specified workspace into the active workspace. Replaces like-named objects in the current workspace.
Ctrl+Shift+D	Drop (erase) the specified workspace.
Ctrl+Shift+End	Highlights from the caret to the end of the session.
Ctrl+Shift+Enter	Moves the current line (where the cursor is) to the center of the page.
Ctrl+Shift+Home	Highlights from the caret to the beginning of the session.
Ctrl+Shift+G	(Gather) Copies all highlighted lines from the session which have been executed in immediate mode and place them on the clipboard.

Ctrl+Shift+J	Displays the Jump to Column dialog box. The system moves the caret to the column number you specify in this dialog box or to the end of the line, whichever comes first.
Ctrl+Shift+L	Loads a workspace.
Ctrl+Shift+X	Loads a workspace without executing the latent expression (□LX).
Ctrl+Shift+M, Ctrl+Shift+J	Finds the matching parentheses, quote marks, or brackets and highlights the expression between those two symbols.
Ctrl+Shift+O	Starts an editing session for the object at the caret.
Ctrl+Shift+P	Copies the specified workspace to the active workspace but does not replace like-named objects in the current workspace.
Ctrl+Spacebar	Indents tagged text one space.
Ctrl+Shift+Spacebar	Remove one space indent from tagged text.
Ctrl+Shift+Tab	Cycles backward through open edit sessions.
Ctrl+Tab	Cycles forward through open edit sessions.
Ctrl+/ Ctrl+Shift+/ Ctrl+Mousewheel Up	Inserts a comment symbol (©) to the current line.
Ctrl+Mousewheel Down	Removes a comment symbol from the current line.
Delete	Increases the font size incrementally in the session.
Double-click right button on an object	Decreases the font size incrementally in the session.
F2	Deletes the selection.
Shift+F2	Starts an editing session for that object.
F3	Move to the next bookmark.
Shift+F3	Move to the previous bookmark.
Ctrl+F3	When the Find dialog box is open, does a Find. If a string is defined in the Find dialog, repeats the search.
Shift+Ctrl+F3	If a string is defined in the Find dialog, searches backwards.
F9	Search for current selection.
Home	Search backwards for current selection.
	Recalls previously executed lines in the reverse order that they were executed. You can recall up to 1000 previous lines.
	Moves the caret to first non-blank column in the line. If the caret is already at the first non-blank column, pressing Home moves the caret to the first column in line.

Insert	Toggles between Insert and Replace mode. Each mode has a distinctive caret. The status line displays "Ovr" when in Replace mode and displays "Ins" in Insert mode.
Shift+Insert	Pastes highlighted text; same as Ctrl+V.
Shift+F9	Recalls previously executed lines in the order you executed them.
Shift+Tab	Removes one tab stop from a tagged block of text.
Tab	Indents a tagged block of text.

Debugger

Ctrl+D	Show or hide the debug and state indicator panes.
Ctrl+W	Set or remove watchpoints.
Ctrl+Alt+Shift+P	Pause execution; same as Pause.
F5	Run.
Ctrl+F5	Set next statement.
Ctrl+F7	Run to caret or below.
Ctrl+Shift+F7	Run to caret.
F10	Step to next statement.
Shift+F10	Step to next line.
Ctrl+F10	Step over by primitive.
F11	Step into function.
Shift+F11	Step out of function.
Ctrl+F11	Step into by primitive.
F12	Copy pending code to the session.
Ctrl+F12	Edit pending function.